European Journal of Pharmacology, 249 (1993) 355–358
© 1993 Elsevier Science Publishers B.V. All rights reserved 0014-2999/93/$06.00

Author index

Abelli, L., see Manzini, S. (249) 251
Albuquerque, M.L.C. and Kurth, C.D.
Cocaine constricts immature cerebral arterioles by a local anesthetic mechanism (249) 215
Alhaider, A.A., Hamon, M. and Wilcox, G.L.
Intrathecal 5-methoxy-*N*,*N*-dimethyltryptamine in mice modulates 5-HT_1 and 5-HT_3 receptors (249) 151
Allison, K., Paetsch, P.R., Baker, G.B. and Greenshaw, A.J.
Chronic antidepressant drug treatment attenuates motor-suppressant effects of apomorphine without changing [^{3}H]GBR 12935 binding (249) 125
Allison, W., see Hasan, K. (249) 101
Andersen, J.V., see Videbæk, C. (249) 43
Ashino, H., see Oikawa, T. (249) 113

Baker, G.B., see Allison, K. (249) 125
Barbin, G., see Kwiecien, R. (249) 325
Barone, P., Millet, S., Moret, C., Prudhomme, N. and Fillion, G.
Quantitative autoradiography of 5-HT_{1E} binding sites in rodent brains: effect of lesion of serotonergic neurones (249) 221
Bartus, R.T., see Von Lubitz, D.K.J.E. (249) 271
Basham, D.A., see Meller, E. (249) R5
Baudrie, V., see Chaouloff, F. (249) 117
Bavinck, A., see Schiereck, P. (249) 317
Ben-Ari, Y., see Kwiecien, R. (249) 325
Benz, U., see De Vry, J. (249) 331
Blomqvist, O., Engel, J.A., Nissbrandt, H. and Söderpalm, B.
The mesolimbic dopamine-activating properties of ethanol are antagonized by mecamylamine (249) 207
Blumberg, P.M., see Goso, C. (249) 185
Bode, D.C., see Dundore, R.L. (249) 293
Bodelsson, G. and Stjernquist, M.
Characterization of endothelin receptors and localization of ^{125}I-endothelin-1 binding sites in human umbilical artery (249) 299
Bohmaker, K., see Meller, E. (249) R5
Bottari, S., see Macari, D. (249) 85
Bottema, T., see Damsma, G. (249) R9
Bountra, C., Bunce, K., Dale, T., Gardner, C., Jordan, C., Twissell, D. and Ward, P.
Anti-emetic profile of a non-peptide neurokinin NK_1 receptor antagonist, CP-99,994, in ferrets (249) R3
Bowen, W.D., see Jones, D.N.C. (249) 167
Buchholz, R.A., see Dundore, R.L. (249) 293
Buckett, W.R., see Heal, D.J. (249) 37
Bunce, K., see Bountra, C. (249) R3
Burleigh, D.E. and Kirkham, S.E.
Lack of effect of three putative vasoactive intestinal peptide receptor antagonists on vasoactive intestinal peptide-induced secretory responses in rat colon (249) 239
Butler, S.A., see Heal, D.J. (249) 37

Carter, M., see Von Lubitz, D.K.J.E. (249) 265
Chang, K., see Hasan, K. (249) 101
Chaouloff, F., Baudrie, V. and Coupry, I.
Behavioural and biochemical evidence that glucocorticoids are not involved in DOI-elicited 5-HT_2 receptor down-regulation (249) 117
Chiba, S., see Iwatsuki, K. (249) 19
Clas, D.M., see Dundore, R.L. (249) 293
Corbett, J.A., see Hasan, K. (249) 101
Coupry, I., see Chaouloff, F. (249) 117

Dale, T., see Bountra, C. (249) R3
Dalgaard, L., see Videbæk, C. (249) 43
Damsma, G., Bottema, T., Westerink, B.H.C., Tepper, P.G., Dijkstra, D., Pugsley, T.A., MacKenzie, R.G., Heffner, T.G. and Wikström, H.
Pharmacological aspects of *R*-(+)-7-OH-DPAT, a putative dopamine D_3 receptor ligand (249) R9
Dawson, D.A., McCulloch, J. and Macrae, I.M.
Cerebrovascular effects of N^G-nitro-L-arginine methylester are conserved under halothane anaesthesia (249) 7
De Beer, E., see Schiereck, P. (249) 317
De Gasparo, M., see Macari, D. (249) 85
De Jonckheere, S., see McCaig, D. (249) 53
De La Fuente, P.G., see Savineau, J.-P. (249) 191
De Montis, M.G., Gambarana, C. and Meloni, D.
α-Methyl-*para*-tyrosine antagonizes the effect of chronic imipramine on learned helplessness in rats (249) 179
De Vry, J., Benz, U., Schreiber, R. and Traber, J.
Shock-induced ultrasonic vocalization in young adult rats: a model for testing putative anti-anxiety drugs (249) 331
De Vry, J., see Schreiber, R. (249) 341
Dijkstra, D., see Damsma, G. (249) R9
Dundore, R.L., Clas, D.M., Wheeler, L.T., Habeeb, P.G., Bode, D.C., Buchholz, R.A., Silver, P.J. and Pagani, E.D.
Zaprinast increases cyclic GMP levels in plasma and in aortic tissue of rats (249) 293
Durham, R.A., see Manzanares, J. (249) 107

Elliott, J.M., see Pei, Q. (249) 243
Ellis, E.F., see Muir, J.K. (249) 287
Elzinga, C.R.S., see Roffel, A.F. (249) 235
Engel, J.A., see Blomqvist, O. (249) 207
Evangelista, S., see Goso, C. (249) 185
Evangelista, S., see Manzini, S. (249) 251

Fedele, E., Versace, P. and Raiteri, M.
Evaluation of the mechanisms underlying the kainate-induced impairment of [^{3}H]dopamine release in the rat striatum (249) 71
Fillion, G., see Barone, P. (249) 221
Foged, C., see Videbæk, C. (249) 43
Friberg, L., see Videbæk, C. (249) 43
Friberg, S.G., see Persson, M.G. (249) R7
Fukui, H., Yamamoto, M., Sasaki, S. and Sato, S.
Involvement of 5-HT_3 receptors and vagal afferents in copper sulfate- and cisplatin-induced emesis in monkeys (249) 13
Furukawa, T., see Soejima, O. (249) 1

Gambarana, C., see De Montis, M.G. (249) 179
Gardner, C., see Bountra, C. (249) R3

Goldstein, M., see Meller, E. (249) R5
Gordon, T.L., see Schechter, M.D. (249) 79
Goso, C., Evangelista, S., Tramontana, M., Manzini, S., Blumberg, P.M. and Szallasi, A.
Topical capsaicin administration protects against trinitrobenzene sulfonic acid-induced colitis in the rat (249) 185
Grahame-Smith, D.G., see Pei, Q. (249) 243
Greenshaw, A.J., see Allison, K. (249) 125
Guarneri, L., see Testa, R. (249) 307
Gustafsson, L.E., see Persson, M.G. (249) R7

Habeeb, P.G., see Dundore, R.L. (249) 293
Haj-Dahmane, S., see Lanfumey, L. (249) 25
Hamon, M., see Alhaider, A.A. (249) 151
Hamon, M., see Lanfumey, L. (249) 25
Hasan, K., Heesen, B.-J., Corbett, J.A., McDaniel, M.L., Chang, K., Allison, W., Wolffenbuttel, B.H.R., Williamson, J.R. and Tilton, R.G.
Inhibition of nitric oxide formation by guanidines (249) 101
Heal, D.J., Butler, S.A., Prow, M.R. and Buckett, W.R.
Quantification of presynaptic α_2-adrenoceptors in rat brain after short-term DSP-4 lesioning (249) 37
Hedqvist, P., see Persson, M.G. (249) R7
Heesen, B.-J., see Hasan, K. (249) 101
Heffner, T.G., see Damsma, G. (249) R9
Holm, S., see Videbæk, C. (249) 43
Holtzman, S.G., see Jones, D.N.C. (249) 167
Horiuchi, A., see Iwatsuki, K. (249) 19

Ibba, M., see Testa, R. (249) 307
Ito, K.M., see Ohno, N. (249) 121
Iwamoto, Y., see Kamei, J. (249) 161
Iwatsuki, K., Horiuchi, A., Ren, L.-M. and Chiba, S.
Effects of KRN2391, a novel vasodilator, on pancreatic exocrine secretion in anesthetized dogs (249) 19

Jacobson, K.A., see Von Lubitz, D.K.J.E. (249) 265
Jacobson, K.A., see Von Lubitz, D.K.J.E. (249) 271
Janssen, P., see Schiereck, P. (249) 317
Jantos, H., see Ponzoni, A. (249) 259
Jennekens, F., see Schiereck, P. (249) 317
Jones, D.N.C., Bowen, W.D., Portoghese, P.S. and Holtzman, S.G.
δ-Opioid receptor antagonists attenuate motor activity induced by amphetamine but not cocaine (249) 167
Jordan, C., see Bountra, C. (249) R3

Kähler, C.M., Sitte, B.A., Reinisch, N. and Wiedermann, C.J.
Stimulation of the chemotactic migration of human fibroblasts by substance P (249) 281
Kalso, E., see Suzuki, N. (249) 247
Kamei, J., Iwamoto, Y., Suzuki, T., Misawa, M., Nagase, H. and Kasuya, Y.
Antitussive effects of naltrindole, a selective δ-opioid receptor antagonist, in mice and rats (249) 161
Kanno, M., see Tohse, N. (249) 231
Kasuya, Y., see Kamei, J. (249) 161
Katsuragi, T., see Soejima, O. (249) 1
Kirkham, S.E., see Burleigh, D.E. (249) 239
Kunz, D., see Mühl, H. (249) 95
Kurth, C.D., see Albuquerque, M.L.C. (249) 215
Kwiecien, R., Medina, I., Barbin, G. and Ben-Ari, Y.
The hypoglycemic sulphonylurea tolbutamide increases *N*-methyl-D-aspartate- but not kainate-activated currents in hippocampal neurons in culture (249) 325

La, M. and Rand, M.J.
Endothelin-1 enhances vasoconstrictor responses to exogenously administered and neurogenically released ATP in rabbit isolated perfused arteries (249) 133
Lanfumey, L., Haj-Dahmane, S. and Hamon, M.
Further assessment of the antagonist properties of the novel and selective 5-HT_{1A} receptor ligands (+)-WAY 100 135 and SDZ 216-525 (249) 25
Lassen, N.A., see Videbæk, C. (249) 43
Latini, S., Pedata, F. and Pepeu, G.
Effect of idebenone on adenosine outflow and adenine nucleotide level in hippocampal slices under ischemia-like conditions (249) 65
Leonardi, A., see Testa, R. (249) 307
Levens, N., see Macari, D. (249) 85
Lookingland, K.J., see Manzanares, J. (249) 107

Macari, D., Bottari, S., Whitebread, S., De Gasparo, M. and Levens, N.
Renal actions of the selective angiotensin AT_2 receptor ligands CGP 42112B and PD 123319 in the sodium-depleted rat (249) 85
MacKenzie, R.G., see Damsma, G. (249) R9
Macrae, I.M., see Dawson, D.A. (249) 7
Manzanares, J., Durham, R.A., Lookingland, K.J. and Moore, K.E.
δ-Opioid receptor-mediated regulation of central dopaminergic neurons in the rat (249) 107
Manzini, S., Perretti, F., Abelli, L., Evangelista, S., Seeds, E.A.M. and Page, C.P.
Isbufylline, a new xanthine derivative, inhibits airway hyperresponsiveness and airway inflammation in guinea pigs (249) 251
Manzini, S., see Goso, C. (249) 185
Marthan, R., see Savineau, J.-P. (249) 191
McCaig, D. and De Jonckheere, S.
Effects of two Ca^{2+} modulators in normal and albumin-sensitized guinea-pig trachea (249) 53
McCulloch, J., see Dawson, D.A. (249) 7
McDaniel, M.L., see Hasan, K. (249) 101
Medina, I., see Kwiecien, R. (249) 325
Meller, E., Bohmaker, K., Goldstein, M. and Basham, D.A.
Evidence that striatal synthesis-inhibiting autoreceptors are dopamine D_3 receptors (249) R5
Meloni, D., see De Montis, M.G. (249) 179
Meurs, H., see Roffel, A.F. (249) 235
Millet, S., see Barone, P. (249) 221
Misawa, M., see Kamei, J. (249) 161
Miyata, N., Yamaura, H., Tanaka, M., Takahashi, K., Tsuchida, K. and Otomo, S.
CD-832, a new dihydropyridine derivative with both nitrate-like and Ca^{2+} channel antagonist vasodilator activities (249) 141
Monti, J.M., see Ponzoni, A. (249) 259
Moore, K.E., see Manzanares, J. (249) 107
Moret, C., see Barone, P. (249) 221
Morita, I., see Oikawa, T. (249) 113
Mühl, H., Kunz, D., Rob, P. and Pfeilschifter, J.
Cyclosporin derivatives inhibit interleukin 1β induction of nitric oxide synthase in renal mesangial cells (249) 95
Muir, J.K. and Ellis, E.F.
Cocaine potentiates the blood pressure and cerebral blood flow response to norepinephrine in rats (249) 287
Murota, S.-i., see Oikawa, T. (249) 113

Nagase, H., see Kamei, J. (249) 161
Nissbrandt, H., see Blomqvist, O. (249) 207

Ohno, N., Ito, K.M., Yamamoto, Y. and Suzuki, H.
Suramin selectively inhibits the non-adrenergic non-cholinergic inhibitory junction potential in the guinea-pig stomach (249) 121
Oikawa, T., Okayasu, I., Ashino, H., Morita, I., Murota, S.-i. and Shudo, K.

Three novel synthetic retinoids, Re 80, Am 580 and Am 80, all exhibit anti-angiogenic activity in vivo (249) 113
Okayasu, I., see Oikawa, T. (249) 113
Otomo, S., see Miyata, N. (249) 141

Paetsch, P.R., see Allison, K. (249) 125
Pagani, E.D., see Dundore, R.L. (249) 293
Page, C.P., see Manzini, S. (249) 251
Paul, I.A., see Von Lubitz, D.K.J.E. (249) 265
Paul, I.A., see Von Lubitz, D.K.J.E. (249) 271
Pedata, F., see Latini, S. (249) 65
Pei, Q., Elliott, J.M., Grahame-Smith, D.G. and Zetterström, T.
Quinine and 4-aminopyridine inhibit the stimulatory output of dopamine in nucleus accumbens and the behavioural activity produced by morphine (249) 243
Pepeu, G., see Latini, S. (249) 65
Perretti, F., see Manzini, S. (249) 251
Persson, M.G., Friberg, S.G., Hedqvist, P. and Gustafsson, L.E.
Endogenous nitric oxide counteracts antigen-induced bronchoconstriction (249) R7
Pfeilschifter, J., see Mühl, H. (249) 95
Poggesi, E., see Testa, R. (249) 307
Ponzoni, A., Monti, J.M. and Jantos, H.
The effects of selective activation of the 5-HT_3 receptor with m-chlorophenylbiguanide on sleep and wakefulness in the rat (249) 259
Portoghese, P.S., see Jones, D.N.C. (249) 167
Prow, M.R., see Heal, D.J. (249) 37
Prudhomme, N., see Barone, P. (249) 221
Pugsley, T.A., see Damsma, G. (249) R9

Raiteri, M., see Fedele, E. (249) 71
Rand, M.J., see La, M. (249) 133
Randriantsoa, A., see Schoeffter, P. (249) 199
Reinisch, N., see Kähler, C.M. (249) 281
Ren, L.-M., see Iwatsuki, K. (249) 19
Rob, P., see Mühl, H. (249) 95
Roffel, A.F., Meurs, H., Elzinga, C.R.S. and Zaagsma, J.
Muscarinic M_2 receptors do not participate in the functional antagonism between methacholine and isoprenaline in guinea pig tracheal smooth muscle (249) 235
Rosenberg, P.H., see Suzuki, N. (249) 247

Sasaki, S., see Fukui, H. (249) 13
Sato, S., see Fukui, H. (249) 13
Savineau, J.-P., De La Fuente, P.G. and Marthan, R.
Effect of vascular smooth muscle relaxants on the protein kinase C-mediated contraction in the rat pulmonary artery (249) 191
Schechter, M.D. and Gordon, T.L.
Comparison of the behavioral effects of ibogaine from three sources: mediation of discriminative activity (249) 79
Schiereck, P., De Beer, E., Van Heijst, B., Janssen, P., Van Andel, A., Jennekens, F., Sontrop, A. and Bavinck, A.
Ca^{2+} channel antagonists enhance tension in skinned skeletal and heart muscle fibres (249) 317
Schoeffter, P. and Randriantsoa, A.
Differences between endothelin receptors mediating contraction of guinea-pig aorta and pig coronary artery (249) 199
Schreiber, R. and De Vry, J.
Neuronal circuits involved in the anxiolytic effects of the 5-HT_{1A} receptor agonists 8-OH-DPAT, ipsapirone and buspirone in the rat (249) 341
Schreiber, R., see De Vry, J. (249) 331
Seeds, E.A.M., see Manzini, S. (249) 251
Shudo, K., see Oikawa, T. (249) 113
Silver, P.J., see Dundore, R.L. (249) 293
Simonazzi, I., see Testa, R. (249) 307
Sitte, B.A., see Kähler, C.M. (249) 281
Söderpalm, B., see Blomqvist, O. (249) 207
Soejima, O., Katsuragi, T. and Furukawa, T.
Opposite modulation by muscarinic M_1 and M_3 receptors of acetylcholine release from guinea pig ileum as measured directly (249) 1
Sontrop, A., see Schiereck, P. (249) 317
Stjernquist, M., see Bodelsson, G. (249) 299
Strada, G., see Testa, R. (249) 307
Suzuki, H., see Ohno, N. (249) 121
Suzuki, N., Kalso, E. and Rosenberg, P.H.
Intrathecal morphine-3-glucuronide does not antagonize spinal antinociception by morphine or morphine-6-glucuronide in rats (249) 247
Suzuki, T., see Kamei, J. (249) 161
Szallasi, A., see Goso, C. (249) 185

Taddei, C., see Testa, R. (249) 307
Takahashi, K., see Miyata, N. (249) 141
Takeda, Y., see Tohse, N. (249) 231
Tanaka, M., see Miyata, N. (249) 141
Tepper, P.G., see Damsma, G. (249) R9
Testa, R., Guarneri, L., Ibba, M., Strada, G., Poggesi, E., Taddei, C., Simonazzi, I. and Leonardi, A.
Characterization of α_1-adrenoceptor subtypes in prostate and prostatic urethra of rat, rabbit, dog and man (249) 307
Tilton, R.G., see Hasan, K. (249) 101
Tohse, N., Takeda, Y. and Kanno, M.
Voltage-dependent modulation of L-type Ca^{2+} current by manidipine in guinea-pig heart cells (249) 231
Traber, J., see De Vry, J. (249) 331
Tramontana, M., see Goso, C. (249) 185
Tsuchida, K., see Miyata, N. (249) 141
Twissell, D., see Bountra, C. (249) R3

Van Andel, A., see Schiereck, P. (249) 317
Van Dijk, J.P.M., see Zijlstra, F.J. (249) R1
Van Heijst, B., see Schiereck, P. (249) 317
Versace, P., see Fedele, E. (249) 71
Videbæk, C., Friberg, L., Holm, S., Wammen, S., Foged, C., Andersen, J.V., Dalgaard, L. and Lassen, N.A.
Benzodiazepine receptor equilibrium constants for flumazenil and midazolam determined in humans with the single photon emission computer tomography tracer [^{123}I]iomazenil (249) 43
Von Lubitz, D.K.J.E., Paul, I.A., Carter, M. and Jacobson, K.A.
Effects of N^6-cyclopentyl adenosine and 8-cyclopentyl-1,3-dipropylxanthine on *N*-methyl-D-aspartate induced seizures in mice (249) 265
Von Lubitz, D.K.J.E., Paul, I.A., Bartus, R.T. and Jacobson, K.A.
Effects of chronic administration of adenosine A_1 receptor agonist and antagonist on spatial learning and memory (249) 271

Wammen, S., see Videbæk, C. (249) 43
Ward, P., see Bountra, C. (249) R3
Westerink, B.H.C., see Damsma, G. (249) R9
Wheeler, L.T., see Dundore, R.L. (249) 293
Whitebread, S., see Macari, D. (249) 85
Wiedermann, C.J., see Kähler, C.M. (249) 281
Wikström, H., see Damsma, G. (249) R9
Wilcox, G.L., see Alhaider, A.A. (249) 151
Williamson, J.R., see Hasan, K. (249) 101
Wilson, J.H.P., see Zijlstra, F.J. (249) R1
Wolffenbuttel, B.H.R., see Hasan, K. (249) 101

Yamamoto, M., see Fukui, H. (249) 13
Yamamoto, Y., see Ohno, N. (249) 121
Yamaura, H., see Miyata, N. (249) 141

Zaagsma, J., see Roffel, A.F. (249) 235
Zetterström, T., see Pei, Q. (249) 243
Zijlstra, F.J., Van Dijk, J.P.M. and Wilson, J.H.P.
Increased platelet activating factor synthesis in experimental colitis after diclofenac and 5-amino-salicylic acid (249) R1